

University of Central Florida  
Confined Space Program  
Forced Air Entry Reclassification Form  
29CFR 19W.146(c)(5)

This certification form is to be completed for authority to allow entry in a permit required confined space in which the only hazard is atmospheric and is being controlled by forced fresh air. It can only be issued under the conditions set forth in the written entry procedures specific to the space identified on this form. It shall be made available to each employee entering the space.

Specific location and space: \_\_\_\_\_

Date entry is authorized: \_\_\_\_\_

Time Effective: From: \_\_\_\_\_ To: \_\_\_\_\_

Atmosphere test readings must be taken before forced air supply is connected and prior to entry. Readings recorded below must be within the prescribed limits specified in the written entry procedures for this space:

Reading Within Prescribed Limits

1. Oxygen by volume: \_\_\_\_\_ Yes  No
2. Percent LEL: \_\_\_\_\_ Yes  No
3. Carbon Monoxide ppm: \_\_\_\_\_ Yes  No
4. Hydrogen Sulfide: \_\_\_\_\_ Yes  No
5. Other: \_\_\_\_\_: \_\_\_\_\_ Yes  No
6. Other: \_\_\_\_\_: \_\_\_\_\_ Yes  No

Is forced air equipment working properly? Yes  No

Is forced air supply from clean source? Yes  No

Time forced air started: \_\_\_\_\_

Has forced air been supplied the amount of time prescribed before entry? Yes  No

Atmosphere test readings must be taken after forced air supply is connected for the prescribed time and prior to entry. Readings recorded below must be within the prescribed limits specified in the written entry procedures for this space:

Reading Within Prescribed Limits

1. Oxygen by volume: Between 19.5% & 21.5% Yes  No
2. Percent LEL: Less than 10% Yes  No
3. Carbon Monoxide ppm: Less than 35 ppm Yes  No
4. Hydrogen Sulfide: Less than 10 ppm Yes  No
5. Other: \_\_\_\_\_: \_\_\_\_\_ Yes  No
6. Other: \_\_\_\_\_: \_\_\_\_\_ Yes  No

Has each entrant received prescribed training? Yes  No

If any "no" answers appear on this form, entry is not authorized.

\_\_\_\_\_  
Signature of person authorizing entry

\_\_\_\_\_  
print name

\_\_\_\_\_  
date certification issued

\_\_\_\_\_  
shop or area